

PRODUCT DATASHEET

IR PAR38 RED 150W 220-240V E26

INFRA-RED PAR38 | Incandescent lamps with reflector for accent lighting



Areas of application

- Healthcare
- Therapy Treatment
- Beauty Treatment

Product benefits

- Infrared wavelengths have strong penetrability which can produce significant thermal effects through the surface of the skin and promote blood circulation in the skin tissues
- Provide localized heat treatment to relieve muscular pain

Product features

- Deep-acting effect for therapy session
- Comfortable warmth
- Pleasant Light
- Input Voltage: 220-240 V
- Beam Angle: 30°
- PAR38 Reflector
- E26 base for easy installation
- Over Temperature Protection

TECHNICAL DATA**Electrical data**

Nominal wattage	150 W
Construction wattage	150.00 W
Nominal voltage	220...240 V
Nominal current	625 mA
Mains frequency	50/60 Hz

Photometrical data

Luminous flux	250 lm
Nominal useful luminous flux 90°	250 lm
Luminous efficacy	1.66 lm/W
Color temperature	1200 K
Light color	12

Light technical data

Beam angle	30 °
Starting time	< 0.5 s

Dimensions & Weight

Overall length	136.00 mm
Diameter	122.0 mm
Product weight	308.00 g

Temperatures & operating conditions

Ambient temperature range	-20...+60 °C
---------------------------	--------------

Lifespan

Number of switching cycles	50000
----------------------------	-------

Additional product data

Base (standard designation)	E26
-----------------------------	-----

Country-specific categorizations

Order reference	IR PAR38 RED 15
-----------------	-----------------

LOGISTICAL DATA

Temperature range at storage	-20...+80 °C
------------------------------	--------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	136.00 mm
Height	122.0 mm
Width	122.0 mm

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075774162	Folding box 1	115 mm x 115 mm x 140 mm	325.00 g	1.85 dm ³
4058075774179	Shipping box 12	480 mm x 365 mm x 170 mm	4322.00 g	29.78 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.