


# PRODUCT DATASHEET

## LN INDV DALI 1200 Through Wiring Kit

LINEAR IndiviLED® THROUGH-WIRING KIT | Cable and plug set for light line installation



PERFOR-  
MANCE  
CLASS

---

### Product benefits

- Easy and quick electrical connection for light line installation
- Through wire connection with AC plug

---

### Product features

- Through wiring cable kit for light lines (3 x 1.5 mm<sup>2</sup> wire with AC plug, length: 1.2 m or 1.5 m )
- Light line connection cable with AC plug
- Through wiring cable kit for DALi (2 x 0.5 mm<sup>2</sup> wire with AC plug, length: 1.2 m or 1.5 m )



## TECHNICAL DATA

### Dimensions & Weight

|                |         |
|----------------|---------|
| Length         | 32.0 mm |
| Width          | 13.0 mm |
| Height         | 7.0 mm  |
| Product weight | 52.00 g |
| Cable length   | 1250 mm |

### Materials & Colors

|               |                    |
|---------------|--------------------|
| Product color | Yellow             |
| Body material | Polycarbonate (PC) |

### Application & Mounting

|                          |    |
|--------------------------|----|
| Replaceable light source | No |
|--------------------------|----|

### Certificates & Standards

|                |    |
|----------------|----|
| Standards      | CE |
| Ball shot safe | No |

## DOWNLOAD DATA

| Documents and certificates                                                         |                   | Document name                      |
|------------------------------------------------------------------------------------|-------------------|------------------------------------|
|  | Legal information | Informationstext 18 Abs 4 ElektroG |

## LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume               |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4058075158016 | BAG<br>1                     | 170 mm x 90 mm x 15 mm               | 58.00 g      | 0.23 dm <sup>3</sup> |
| 4058075158023 | Bag for 2nd level<br>4       |                                      |              |                      |
| 4058075173897 | Shipping box<br>24           | 180 mm x 170 mm x 190 mm             | 1615.00 g    | 5.81 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.